Publy reporting burden for this collection of information is estimated to average. Inour per response, including the time for reviewing instructions, searching exhibit gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimates or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services. Directorate for information Operations and Reports. 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202–1302, and to the Office of Management and Budget, Paperwork Reduction Project (0704–0188), Washington, DC 20503.						
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE July 12, 2001	3. REPORT TYPE AND March 25, 1999	D DATES COVERED 9 - March 24, 2001 FINAL			
4. TITLE AND SUBTITLE	July 12, 2001		5. FUNDING NUMBERS			
Laser Systems for Nano-Opti Semiconductor Quantum Dot	DAAD19-99-1-0031					
6. AUTHOR(S)						
Duncan G. Steel						
7. PERFORMING ORGANIZATION NA	ME(S) AND ADDRESS(ES)		8. PERFORMING			
University of Michigan, Dep 1301 Beal Avenue, 1106 EE Ann Arbor, MI 48109-2122	ORGANIZATION REPORT NUMBER					
9. SPONSORING / MONITORING AGE	NCY NAMES(S) AND ADDRESS(ES)	0 8 2001	10. SPONSORING / MONITORING			
U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC	AGENCY REPORT NUMBER 39296-PH-RIP					
11. SUPLEMENTARY NOTES	101	11				
The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.						
12a. DISTRIBUTION / AVAILABILITY	STATEMENT		12b. DISTRIBUTION CODE			
Approved for public release; distribution						
13. ABSTRACT (Maximum 200 words)						
This program was used to acquire the necessary optical and electronic hardware to build a versatile Ti-Sapphire laser based pulsed shaping system for applications to studies of semiconductor quantum dots for quantum computing. The system has already been used to enable the first report of spectral hole burning in self-assembled quantum dots. Future experiments will use the adaptive capability of this system to implement coherent control technique for to increase the clock speed for quantum computing applications in quantum dots.						
14.SUBJECHNERMS			15. NUMBER IF PAGES			
IV. SODSLOT I DIGITO			2			
			16. PRICE CODE			
17. SECURITY CLASSIFICATION	18. SECURITY CLASSIFICATION	119. SECURITY CLASSIFICA	TION 20. LIMITATION OF ABSTRACT			
OR REPORT UNCLASSIFIED	OF THIS PAGE UNCLASSIFIED	OF ABSTRACT UNCLASSIFIED	, UL			
NO. 1 TE 40 01 000 5500			Standard Form 298 (rev. 2-89)			

REPORT DOCUMENTATION PAGE

NSN 7540-01-280-5500

Prescribed by ANSI Std. 239-18 298-102

Form Approved

OMB NO. 0704-0188

MEMORANDUM OF TRANSMITTAL

Го:	U. S. Army Res Attn: AMSRL-F P.O. Box 1221 Research Trian	RO-BI (TR)	•	Date <u>7/12/01</u>		
	R	eprint (Orig + 2 copies)		Technical Report (Orig + 2 copies)		
	N	fanuscript (1 copy)	<u>x</u>	Final Progress Report (Orig + 2 copies)		
				Related Materials, Abstracts, Thesis (1 copy)		
CONTRACT/GRANT NUMBER: DAAD19-99-1-0031						
RI	EPORT TITLE:	Laser Systems for Nano-Opt Semiconductor Quantum Do	tical Spec ots	ctroscopy and Optical Manipulation of		
is	forwarded fo	or your information.				
SUBMITTED FOR PUBLICATION TO (applicable only if report is manuscript):						
Sincerely,						

Duncan G. Steel University of Michigan 1106 EECS Bldg Ann Arbor, MI 48109-2122

FINAL REPORT

Laser System for Nano-Optical Spectroscopy and Optical Manipulation of Semiconductor Quantum Dots

Duncan G. Steel, Pl
University of Michigan
Randall Laboratory, Ann Arbor, MI 48109
GRANT NUMBER: DAAD19-99-1-0031
Contract Period: 3/25/99 - 3/24/00 NCTX 3/24/01

Proposal No.: 39296-PH-RIP

ABSTRACT

This program was used to acquire the necessary optical and electronic hardware to build a versatile Ti-Sapphire laser based pulsed shaping system for applications to studies of semiconductor quantum dots for quantum computing. The system has already been used to enable the first report of spectral hole burning in self-assembled quantum dots. Future experiments will use the adaptive capability of this system to implement coherent control technique for to increase the clock speed for quantum computing applications in quantum dots.

FINAL REPORT

Laser System for Nano-Optical Spectroscopy and Optical Manipulation of Semiconductor Quantum Dots


Duncan G. Steel, Pl
University of Michigan
Randall Laboratory, Ann Arbor, MI 48109
GRANT NUMBER: DAAD19-99-1-0031
Contract Period: 3/25/99 - 3/24/00 NCTX 3/24/01

Proposal No.: 39296-PH-RIP

This grant was used to acquire and build new instrumentation to enable more sophisticated coherent transient and control of semiconductor quantum dots. The approach was to incorporate a laser amplifier into our Ti:Sapphire laser system and then use a pulse shaping system to provide not only arbitrary control over the electromagnetic field, but also the capability of two independently tunable optical fields.

The basic system design is shown in Fig. 1. The approach is based on the same design used by Phil Bucksbaum's group at Michigan which he has shown to be extremely affective for feedback based coherent control experiments. This system will be used in future coherent control experiments to enable faster clock speeds for in quantum computing by preserving the quality of Rabi oscillations (one-bit rotations) by compensating for optically coupling to nearby states.

The system continues to be under development, but has already been used to obtain new data. Figure 2 below shows the first report of spectral hole burning in self assembled quantum dots. Not only do we observe the spectral hole, but we also detect the clear negative going signature of the biexciton. The absence of the biexciton for cross polarized excitation (for linearly polarized selection rules) is in agreement with the selection rules. This data and related studies will be presented more thoroughly in a forthcoming progress report on ARO Grant Number DAAD19-01-1-0478






Figure 1. Schematic of basic experimental configuration for producing two independently tunable adjustable bandwidth laser pulses.

Figure: Transient spectral hole burning in an InAs quantum dot ensemble, for pump and probe having the same (SLP) or crossed (XLP) linear polarizations. The delay was +5 psec. The spectral hole is centered at the pump energy, with similar linewidth. The induced absorption in the SLP case results from biexciton two-photon absorption (TPA), giving an approximate biexciton binding energy of 3.6 meV